

| ----- POPULATION ESTIMATES ----- | | | | ----- Long-Term Care ----- | | ----- Local Health Departments ----- | | | |
|---------------------------------------|--------|--------|--------|---|-------|--------------------------------------|-------------------------------|--|--|
| Total 2000 Population 44,960 | | | | Community Options and MA Waiver Programs | | Per 10,000 | | | |
| Population per square mile 52 | | | | | | Staffing - FTE | | | |
| County ranking in state (1-72) 34 | | | | | | Number | | | |
| Age | Female | Male | Total | Clients | Costs | Population | | | |
| 0-14 | 4,390 | 4,640 | 9,030 | COP | 136 | \$237,735 | Total staff 23 5.2 | | |
| 15-19 | 1,710 | 1,940 | 3,650 | MA Waiver * | | | Administrative 3 0.7 | | |
| 20-24 | 1,140 | 1,190 | 2,320 | CIP1A | 17 | \$906,226 | Professional staff 10 2.3 | | |
| 25-29 | 1,120 | 1,140 | 2,270 | CIP1B | 135 | \$1,585,356 | Technical/Paraprof. 1 0.2 | | |
| 30-34 | 1,290 | 1,360 | 2,660 | CIP2 | 8 | \$90,891 | Support staff 9 2.0 | | |
| 35-39 | 1,730 | 1,720 | 3,450 | COP-W | 73 | \$515,275 | Funding | | |
| 40-44 | 1,800 | 1,880 | 3,680 | CSLA | . | \$0 | Per capita | | |
| 45-54 | 3,050 | 3,140 | 6,180 | Brain Injury | 3 | \$157,289 | Total \$1,833,361 \$40.77 | | |
| 55-64 | 2,260 | 2,100 | 4,350 | Total COP/Wvrs | 260 | \$3,492,772 | Local Taxes \$839,521 \$18.67 | | |
| 65-74 | 1,900 | 1,750 | 3,650 | ----- Licensed Establishments ----- | | | | | |
| 75-84 | 1,570 | 1,090 | 2,660 | Type Capacity Facilities | | | | | |
| 85+ | 720 | 340 | 1,060 | Bed & Breakfast 22 7 | | | | | |
| Total | 22,690 | 22,270 | 44,960 | Camps 1,545 39 | | | | | |
| Age | Female | Male | Total | Hotels, Motels 1,434 75 | | | | | |
| 0-17 | 5,550 | 5,830 | 11,380 | Tourist Rooming 50 19 | | | | | |
| 18-44 | 7,630 | 8,040 | 15,680 | Pools 15 | | | | | |
| 45-64 | 5,310 | 5,240 | 10,530 | Restaurants 216 | | | | | |
| 65+ | 4,190 | 3,180 | 7,370 | Vending 6 | | | | | |
| Total | 22,690 | 22,270 | 44,960 | ----- WIC Participants ----- | | | | | |
| Poverty Estimates for 1997 | | | | Number | | | | | |
| Estimate (C.I.+/-) | | | | Pregnant/Postpartum 562 | | | | | |
| All ages | 4,676 | 1,080 | | Infants 568 | | | | | |
| | 10.6% | (2%) | | Children, age 1-4 820 | | | | | |
| Ages 0-17 | 1,957 | 505 | | Total 1,950 | | | | | |
| | 16.1% | (4%) | | ----- Cancer Incidence ----- | | | | | |
| ----- Employment ----- | | | | 1999 | | | | | |
| Average wage for jobs covered | | | | Primary Site Number | | | | | |
| by unemployment compensation \$23,183 | | | | Breast 34 | | | | | |
| Note: based on place of work | | | | Cervical 3 | | | | | |
| Annual | | | | Colorectal 29 | | | | | |
| Labor Force Estimates Average | | | | Trachea, Bronchus, Lung 34 | | | | | |
| Civilian Labor Force 23,786 | | | | Prostate 20 | | | | | |
| Number employed 22,653 | | | | Other sites 65 | | | | | |
| Number unemployed 1,133 | | | | Total 185 | | | | | |
| Unemployment rate 4.8% | | | | | | | | | |
| | | | | Home Health Agencies 1 | | | | | |
| | | | | Patients 417 | | | | | |
| | | | | Patients per 10,000 pop. 93 | | | | | |
| | | | | Nursing Homes 8 | | | | | |
| | | | | Licensed beds 538 | | | | | |
| | | | | Occupancy rate 87.4% | | | | | |
| | | | | Residents on Dec.31 475 | | | | | |
| | | | | Residents age 65 or older per 1,000 population 63 | | | | | |

NATALITY

| | | | | | | | | | | | | | | |
|--|--|--|--------|-------------|--------------------------------|------------------|---------|--------------------------|---------|--------------------------|--------|---------|--------|---------|
| TOTAL LIVE BIRTHS | | | 466 | Birth Order | | Births | Percent | Marital Status of Mother | | | Births | Percent | | |
| Crude Live Birth Rate | | | 10.4 | First | | 184 | 39 | Married | | | 342 | 73 | | |
| General Fertility Rate | | | 53.0 | Second | | 159 | 34 | Not married | | | 124 | 27 | | |
| Live births with reported congenital anomalies | | | 5 | . | % | Third | | 69 | 15 | Unknown | | 0 | 0 | |
| | | | | | | Fourth or higher | | 53 | 11 | | | | | |
| | | | | | | Unknown | | 1 | <.5 | | | | | |
| Delivery Type | | | Births | Percent | First Prenatal Visit | | | Births | Percent | Education of Mother | | | Births | Percent |
| Vaginal after | | | | | 1st trimester | | | 394 | 85 | Elementary or less | | | 22 | 5 |
| previous cesarean | | | 10 | 2 | 2nd trimester | | | 46 | 10 | Some high school | | | 51 | 11 |
| Forceps | | | 2 | <.5 | 3rd trimester | | | 22 | 5 | High school | | | 185 | 40 |
| Other vaginal | | | 361 | 77 | No visits | | | 2 | <.5 | Some college | | | 130 | 28 |
| Primary cesarean | | | 59 | 13 | Unknown | | | 2 | <.5 | College graduate | | | 77 | 17 |
| Repeat cesarean | | | 34 | 7 | | | | | | Unknown | | | 1 | <.5 |
| Other or unknown | | | 0 | 0 | | | | | | | | | | |
| Birthweight | | | Births | Percent | Number of Prenatal Care visits | | | Births | Percent | Smoking Status of Mother | | | Births | Percent |
| <1,500 gm | | | 4 | 0.9 | No visits | | | 2 | <.5 | Smoker | | | 104 | 22 |
| 1,500-2,499 gm | | | 31 | 6.7 | 1-4 | | | 12 | 3 | Nonsmoker | | | 362 | 78 |
| 2,500+ gm | | | 431 | 92.5 | 5-9 | | | 66 | 14 | Unknown | | | 0 | 0 |
| Unknown | | | 0 | 0 | 10-12 | | | 228 | 49 | | | | | |
| | | | | | 13+ | | | 155 | 33 | | | | | |
| | | | | | Unknown | | | 3 | 1 | | | | | |

| Race of Mother | Births | Percent | Low Birthweight (under 2,500 gm) | | Trimester of First Prenatal Visit | | | | | |
|-----------------------|---------------|----------------|---|----------------|--|----|----------------------|----|----------------------|----|
| | | | Births | Percent | 1st Trimester | | 2nd Trimester | | Other/Unknown | |
| White | 456 | 98 | 35 | 7.7 | 386 | 85 | 45 | 10 | 25 | 5 |
| Black | 0 | 0 | . | . | . | . | . | . | . | . |
| Other | 10 | 2 | . | . | 8 | 80 | 1 | 10 | 1 | 10 |
| Unknown | 0 | 0 | . | . | . | . | . | . | . | . |

| Age of Mother | Fertility | | Low Birthweight (under 2,500 gm) | | Trimester of First Prenatal Visit | | | | | |
|----------------------|------------------|-------------|---|----------------|--|----|----------------------|----|----------------------|----|
| | Births | Rate | Births | Percent | 1st Trimester | | 2nd Trimester | | Other/Unknown | |
| <15 | 0 | -- | . | . | . | . | . | . | . | . |
| 15-17 | 9 | . | . | . | 4 | 44 | 4 | 44 | 1 | 11 |
| 18-19 | 36 | 65 | 5 | 13.9 | 27 | 75 | 6 | 17 | 3 | 8 |
| 20-24 | 162 | 142 | 11 | 6.8 | 138 | 85 | 17 | 10 | 7 | 4 |
| 25-29 | 135 | 120 | 11 | 8.1 | 114 | 84 | 11 | 8 | 10 | 7 |
| 30-34 | 78 | 60 | 6 | 7.7 | 71 | 91 | 4 | 5 | 3 | 4 |
| 35-39 | 42 | 24 | 2 | 4.8 | 37 | 88 | 3 | 7 | 2 | 5 |
| 40+ | 4 | . | * | . | * | . | * | . | * | . |
| Unknown | 0 | -- | . | . | . | . | . | . | . | . |

Teenage Births

45 26

* Not reported: age or race category has less than 5 births

----- MORBIDITY -----

REPORTED* CASES OF SELECTED DISEASES

| <u>Disease</u> | <u>Number</u> |
|-------------------------|---------------|
| Campylobacter Enteritis | 25 |
| Giardiasis | 7 |
| Hepatitis Type A | 0 |
| Hepatitis Type B** | <5 |
| Hepatitis NANB/C | 7 |
| Legionnaire's | 0 |
| Lyme | 22 |
| Measles | *** |
| Meningitis, Aseptic | <5 |
| Meningitis, Bacterial | <5 |
| Mumps | *** |
| Pertussis | *** |
| Salmonellosis | 5 |
| Shigellosis | <5 |
| Tuberculosis | 0 |

* 2000 provisional data

** Includes all positive HBsAg test results

*** Unavailable at time of printing

Sexually Transmitted Disease

| | |
|-----------------------|----|
| Chlamydia Trachomatis | 59 |
| Genital Herpes | 11 |
| Gonorrhea | 5 |
| Syphilis | 0 |

----- IMMUNIZATIONS -----

Children in Grades K-12 by Compliance Level

| | |
|-------------------|-------|
| Compliant | 8,708 |
| Non-compliant | 40 |
| Percent Compliant | 99.5 |

----- MORTALITY -----

Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and postneonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus fetal deaths. Rates are not calculated for fewer than 20 deaths.

| | |
|---------------------|-----|
| TOTAL DEATHS | 442 |
| Crude Death Rate | 983 |

| <u>Age</u> | <u>Deaths</u> | <u>Rate</u> |
|------------|---------------|-------------|
| 1-4 | 2 | . |
| 5-14 | . | . |
| 15-19 | 3 | . |
| 20-34 | 6 | . |
| 35-54 | 31 | 233 |
| 55-64 | 44 | 1,010 |
| 65-74 | 85 | 2,328 |
| 75-84 | 119 | 4,474 |
| 85+ | 148 | 13,923 |

Infant

| <u>Mortality</u> | <u>Deaths</u> | <u>Rate</u> |
|------------------|---------------|-------------|
| Total Infant | 4 | . |
| Neonatal | 3 | . |
| Postneonatal | 1 | . |
| Unknown | . | . |

Race of Mother

| | | |
|---------|---|---|
| White | 4 | . |
| Black | . | . |
| Other | . | . |
| Unknown | . | . |

Birthweight

| | | |
|----------------|---|---|
| <1,500 gm | 1 | . |
| 1,500-2,499 gm | 1 | . |
| 2,500+ gm | 2 | . |
| Unknown | . | . |

Perinatal

| <u>Mortality</u> | <u>Deaths</u> | <u>Rate</u> |
|------------------|---------------|-------------|
| Total Perinatal | 6 | . |
| Neonatal | 3 | . |
| Fetal | 3 | . |

| <u>Selected Underlying Cause</u> | <u>Deaths</u> | <u>Rate</u> |
|----------------------------------|---------------|-------------|
| Heart Disease (total) | 143 | 318 |
| Ischemic heart disease | 105 | 234 |
| Cancer (total) | 99 | 220 |
| Trachea/Bronchus/Lung | 31 | 69 |
| Colorectal | 9 | . |
| Female Breast | 8 | .* |
| Cerebrovascular Disease | 30 | 67 |
| Lower Resp. Disease | 26 | 58 |
| Pneumonia & Influenza | 10 | . |
| Accidents | 20 | 44 |
| Motor vehicle | 8 | . |
| Diabetes | 8 | . |
| Infectious & Parasitic | 5 | . |
| Suicide | 4 | . |

* Rate for female breast cancer based on female population.

ALCOHOL AND DRUG ABUSE AS UNDERLYING OR CONTRIBUTING CAUSE OF DEATH

| | | |
|----------------|---|---|
| Alcohol | 5 | . |
| Other Drugs | 2 | . |
| Both Mentioned | . | . |

----- MOTOR VEHICLE CRASHES -----

Note: These data are based on location of crash, not on residence.

| <u>Type of Motor Vehicle Crash</u> | <u>Persons Injured</u> | <u>Persons Killed</u> |
|------------------------------------|------------------------|-----------------------|
| Total Crashes | 487 | 5 |
| Alcohol-Related | 47 | 1 |
| With Citation: | | |
| For OWI | 38 | 0 |
| For Speeding | 13 | 0 |
| Motorcyclist | 11 | 1 |
| Bicyclist | 5 | 0 |
| Pedestrian | 4 | 0 |

----- HOSPITALIZATIONS -----

| DISEASE / AGE GROUP | Number | Per 1,000 Pop | Average Stay (Days) | Average Charge | Charge Per Capita |
|---|--------|---------------------|---------------------------|-------------------|-------------------------|
| Injury-Related: All | | | | | |
| Total | 393 | 8.7 | 4.2 | \$9,299 | \$81 |
| <18 | 26 | 2.3 | 4.1 | \$10,114 | \$23 |
| 18-44 | 65 | 4.1 | 3.9 | \$11,341 | \$47 |
| 45-64 | 83 | 7.9 | 3.9 | \$10,966 | \$86 |
| 65+ | 219 | 29.7 | 4.5 | \$7,965 | \$237 |
| Injury: Hip Fracture | | | | | |
| Total | 57 | 1.3 | 6.1 | \$10,095 | \$13 |
| 65+ | 56 | 7.6 | 6.1 | \$10,220 | \$78 |
| Injury: Poisonings | | | | | |
| Total | 16 | . | . | . | . |
| 18-44 | 9 | . | . | . | . |
| Psychiatric | | | | | |
| Total | 319 | 7.1 | 5.8 | \$4,409 | \$31 |
| <18 | 11 | . | . | . | . |
| 18-44 | 204 | 13.0 | 5.2 | \$3,836 | \$50 |
| 45-64 | 48 | 4.6 | 6.8 | \$5,137 | \$23 |
| 65+ | 56 | 7.6 | 6.7 | \$5,967 | \$45 |
| Coronary Heart Disease | | | | | |
| Total | 398 | 8.9 | 3.7 | \$13,259 | \$117 |
| 45-64 | 116 | 11.0 | 3.3 | \$13,513 | \$149 |
| 65+ | 274 | 37.2 | 3.9 | \$13,324 | \$495 |
| Malignant Neoplasms (Cancers): All | | | | | |
| Total | 204 | 4.5 | 4.9 | \$10,103 | \$46 |
| 18-44 | 12 | . | . | . | . |
| 45-64 | 56 | 5.3 | 4.6 | \$10,406 | \$55 |
| 65+ | 136 | 18.4 | 5.1 | \$10,030 | \$185 |
| Neoplasms: Female Breast (rates for female population) | | | | | |
| Total | 27 | 1.2 | 1.9 | \$6,226 | \$7 |
| Neoplasms: Colo-rectal | | | | | |
| Total | 34 | 0.8 | 7.7 | \$16,586 | \$13 |
| 65+ | 22 | 3.0 | 8.8 | \$18,756 | \$56 |
| Neoplasms: Lung | | | | | |
| Total | 26 | 0.6 | 5.2 | \$8,844 | \$5 |
| Diabetes | | | | | |
| Total | 75 | 1.7 | 3.9 | \$6,292 | \$10 |
| 65+ | 41 | 5.6 | 3.7 | \$6,437 | \$36 |

| DISEASE / AGE GROUP | Number | Per 1,000 Pop | Average Stay (Days) | Average Charge | Charge Per Capita |
|--|--------|---------------------|---------------------------|-------------------|-------------------------|
| Alcohol-Related | | | | | |
| Total | 207 | 4.6 | 5.1 | \$3,152 | \$15 |
| 18-44 | 144 | 9.2 | 4.8 | \$2,820 | \$26 |
| 45-64 | 43 | 4.1 | 5.5 | \$4,127 | \$17 |
| Pneumonia and Influenza | | | | | |
| Total | 252 | 5.6 | 4.3 | \$6,400 | \$36 |
| <18 | 30 | 2.6 | 2.8 | \$3,703 | \$10 |
| 45-64 | 44 | 4.2 | 4.0 | \$7,058 | \$29 |
| 65+ | 160 | 21.7 | 4.7 | \$6,747 | \$146 |
| Cerebrovascular Disease | | | | | |
| Total | 155 | 3.4 | 3.6 | \$6,490 | \$22 |
| 45-64 | 35 | 3.3 | 3.6 | \$7,802 | \$26 |
| 65+ | 119 | 16.1 | 3.6 | \$6,098 | \$98 |
| Chronic Obstructive Pulmonary Disease | | | | | |
| Total | 122 | 2.7 | 3.1 | \$4,418 | \$12 |
| <18 | 18 | . | . | . | . |
| 18-44 | 16 | . | . | . | . |
| 45-64 | 18 | . | . | . | . |
| 65+ | 70 | 9.5 | 3.8 | \$5,594 | \$53 |
| Drug-Related | | | | | |
| Total | 28 | 0.6 | 5.2 | \$2,856 | \$2 |
| 18-44 | 18 | . | . | . | . |
| Total Hospitalizations | | | | | |
| Total | 5,511 | 122.6 | 3.6 | \$6,442 | \$790 |
| <18 | 721 | 63.4 | 2.6 | \$2,471 | \$157 |
| 18-44 | 1,343 | 85.7 | 2.9 | \$4,264 | \$365 |
| 45-64 | 997 | 94.6 | 3.7 | \$8,242 | \$780 |
| 65+ | 2,450 | 332.2 | 4.3 | \$8,072 | \$2,682 |

----- PREVENTABLE HOSPITALIZATIONS* -----

| | | | | | |
|-------|-----|------|-----|---------|-------|
| Total | 852 | 18.9 | 3.5 | \$4,945 | \$94 |
| <18 | 79 | 6.9 | 1.9 | \$2,449 | \$17 |
| 18-44 | 89 | 5.7 | 2.4 | \$3,635 | \$21 |
| 45-64 | 139 | 13.2 | 3.6 | \$5,492 | \$72 |
| 65+ | 545 | 73.9 | 3.8 | \$5,381 | \$398 |

* Hospitalizations for conditions where timely and effective ambulatory care can reduce the likelihood of hospitalization. The definition of preventable hospitalizations in 2000 is consistent with the 1997 definition. Please refer to the note at the bottom of this page in the 1997 report for an explanation of the change made between 1996 and 1997.